


# CONSOLIDATED SOLUTION.


Every component, feature, and innovation of our CareSoft Elite softeners has been designed to bring the most efficient, highest quality water to you and your family. CareSoft Elite models are certified for compliance with NSF/ANSI 61.



3,195<sup>20%</sup>  
 +150<sup>RS</sup>  
 3,345<sup>RS</sup>  
 -100.35<sup>2%</sup>  
 3,244.65<sup>3%</sup>  
 -97.33<sup>3%</sup>  
 3,147.32

Regeneration Direction for Downflow Units  
 Regeneration Direction for Upflow Units

- Exclusive Technology**
- Deep cleaning regeneration only when necessary
  - Exclusive features insures consistent water quality
  - Vacation Mode to prevent unnecessary regenerations
  - Only one internal moving part for easy maintenance
  - Battery back-up
- Equipped with W.E.T.**
- Proportional Brining:** Uses less salt (Available on Upflow Units Only)
  - Proportional Regeneration:** uses less water
  - Alternate Regeneration:** keeps the system running at peak performance
  - Salt Monitor:** triggers alarm when salt levels are low
  - Savings History Screen:** shows how much it saves
- Wripli Enabled (optional)**
- Current Flow Rate:** See how much treated water is running in your home in real time.
  - Water Usage:** Monitor the total number of gallons of water used during the day.
  - Savings:** See how much salt and water you have saved with W.E.T.
  - Notifications:** Receive notifications for salt reminders, service alarms and system errors.
  - Vacation Mode:** Set Vacation Mode from anywhere in the world.



- Patented Siderite Generator**
  - Ability to self-clean every regeneration
  - Monitors every cleaning
- High-Performance Resin**
  - Powerful and durable media
  - Reduces hard water minerals
  - Undergoes rigorous quality control testing
- Activated Carbon**
  - Filters unwanted tastes and odors
  - Reduces chlorine from municipal water
- Low-Maintenance Brine Tank**
  - Built-in safety float
  - Heavy duty, corrosion-free material
  - Fills with soft water to reduce cleaning
  - Dry salt storage

## CARESOFT ELITE® RC SOFTENERS CREATE DUAL COVERAGE

MODEL		CSERC-1054U (U)	CSERC-1054U (U)
Capacity: (Grains/Lbs. NaCl)	Maximum	32,000 @ 15.0	48,800 @ 21.0
	Medium	28,400 @ 9.0	44,400 @ 15.0
	Minimum	23,600 @ 6.0	35,400 @ 9.0
Amount of Resin Media (Cu. Ft.)		1.0	1.5
Amount of Carbon Media (Cu. Ft.)		5	1.0
Maximum Water Hardness (GPG)		75	100
Maximum Iron (PPM)		1.0	1.0
Peak Flow Rate (GPM @ P-PSI)		15.6 @ 15.0	20.4 @ 15.0
Continuous Flow Rate (GPM @ P-PSI)		9.7 @ 7.5	13.2 @ 7.5
Water Pressure Range (PSI) 25-100		25-100	25-100
Water Temp. (°F)		33-100	33-100
Electrical Requirements (volts-hertz)		110-50/60	110-50/60
Pipe Size		1"	1"
Total Dimensions:	Media Tank and Valve	10"W x 62"H	13"W x 62"H
	Brine Tank	18"W x 33"H	18"W x 40"H

<sup>1</sup> Upflow units are indicated by a "U" after the model number. i.e. CSERC-1054U

<sup>2</sup> All CareSoft Pro RC water conditioners are factory preset at medium salting.

<sup>3</sup> Iron removal may vary depending on form of iron, pH and other local conditions. On waters that are pre-chlorinated, or where other pre-oxidation occurs, an iron precipitate can form that is too small to be filtered.

<sup>4</sup> Unit not tested for capacity at these Peak flow rates. Water quality may vary

\$3195<sup>3%</sup>

**ALAMO WATER SOFTENERS**  
 210-274-6122  
 3823 Thousand Oaks • San Antonio, TX 78217  
 www.alamowaterssofteners.com

reverse osmosis  
 filtration

# Kinetico PREMIER SERIES

SuperK® with  
Hy-pure and  
proKiter available

## Product Highlights

**New Quiet Operation** - Kinetico's new Quiet Operation™ technology reduces noise levels by up to 10 dB, making your water filtration system quieter than a refrigerator.

**Works on Demand** - Kinetico's new on-demand technology only filters water when you need it, saving energy and reducing your carbon footprint.

**SuperK® 2000** - Kinetico's new SuperK® 2000 technology provides superior filtration performance and longer filter life.

**Flow Rate** - Kinetico's new Flow Rate technology provides a consistent flow rate of up to 10 GPM, ensuring you always have clean water when you need it.


**Self-Cleaning** - Kinetico's new Self-Cleaning technology automatically cleans the filter, extending its life and reducing maintenance.

**Multi-Tank System** - Kinetico's new Multi-Tank System provides a consistent flow rate of up to 10 GPM, ensuring you always have clean water when you need it.

**Efficient Filtration and Chlorine Reduction** - Kinetico's new Efficient Filtration and Chlorine Reduction technology provides superior filtration performance and longer filter life.

**ProKiter Performance** - Kinetico's new ProKiter performance technology provides superior filtration performance and longer filter life.

**Up to 10 Year Warranty** - Kinetico's new Up to 10 Year Warranty provides superior filtration performance and longer filter life.



*\$4770*


### Available Models:

0850       0850 OD  
 6999       6999 OD



Independent  
Laboratory  
Certification

An unlimited supply of clean  
and healthy drinking water  
can be yours too.





Kineticco

water systems

# Limited Warranty for Residential Applications

## Congratulations on the purchase of your Kineticco Water System.

Kineticco Incorporated warrants its products to be free from defects in material and workmanship. Any faulty part will be replaced at no charge for the part if it fails within the following time periods originating from the date of original system installation.

### What is Covered?

#### I. Kineticco Residential Water Conditioning Systems, Aerators, Neutralizers, Upflow Dechlorinators and Aresnic Guard® Systems.\*

**10** Ten years on all parts, including Macrolife™ filtration media, ion exchange resin, and Kineticco bypass valves and prefilter assemblies, except as otherwise noted below.

**10** Ten years on the polyglass resin/media tanks and regenerant storage tank.

**7** Seven years on 2060f Sulfur Guard™. (*The Aquakinet™ and Powerline™ Series are covered under separate warranty.*)

*\*When oxidizing agents are present, the softener must be a Kineticco Carbon Compaction System or its predecessor. Only a Kineticco Dechlorinator System. Additionally, the carbon media in these systems must be maintained and replaced according to the system's operating instructions. If these conditions are not met, the ion exchange resin is not covered.*

#### II. Kineticco K5 Drinking Water Station

A. Installed following a Kineticco Water Softener (Kineticco K5 Drinking Water Station feed water must first pass through a Kineticco water softening system.)

**10** Ten years on all parts.  
Ten years on the reverse osmosis membrane.

B. Installed separately.

**10** Ten years on all parts.  
**4** Four years on the reverse osmosis membrane.  
*Kineticco Commercial Reverse Osmosis Systems applied residentially are not covered by this warranty. (See Commercial Warranty.)*

#### III. Other Warranted Products

**1** Other Kineticco products, components and accessories that are not specifically mentioned elsewhere in this warranty (including, but not limited to, Drinking Water Filters with MACguard®, other tanks, filter housings, and pumps) and/or not manufactured by but distributed by Kineticco through authorized dealers, are covered for a period of **one year** from date of purchase.

*Warranty under I, II and III does not include freight or labor charges.*

### Who is Covered?

This product warranty is transferable by the original owner to a subsequent owner. The only requirement is that the system must remain at the site of original installation.

### Extension of Warranty to a Subsequent Installation

The ORIGINAL OWNER may move the system to another location. The influent water quality at the subsequent location MUST, however, be within your system's operating specifications. Please contact a local authorized Kineticco dealer prior to installation at another location.

### Limits on this Warranty

Your system must be sold to you and serviced by an authorized Kineticco dealer in order to receive coverage under this warranty.

Additionally, this warranty does not cover products installed for any application other than single family dwellings. The design of the overall treatment system and the performance of your system is related to the chemistry of the water being treated; therefore, your system must only be maintained with parts manufactured or distributed by Kineticco, including replacement products and parts. **Otherwise, this limited warranty is void.**

This warranty does not include damage to your system due to abuse, misuse, neglect, freezing, alterations, misapplication or a change in the influent water characteristics.

Influent water conditions must not exceed the following operating specifications:

#### For Water Conditioning Equipment

- Pressure: 80 psi for Aerator, 125 psi for all other water conditioning equipment.
- Min./Max. Operating Temperature: 35°F-120°F (2°C-48°C)

#### For Residential Drinking Water Filters and K5 Drinking Water Stations

- T: 1 ppm Iron, 10 mg hardness, 3000 ppb TDS.
- pH Range: 3-11.
- Min./Max. Operating Temperature: 35°F-100°F (2°C-38°C).
- Min./Max. Operating Pressure: (25-120 psi)±.
- For TDS levels above 1500, pressures should be ≥50 psi.
- ± nitrate reduction: (40-120 psi).

*Warranty on the reverse osmosis membrane does not include damage caused by the failure of non-Kineticco equipment to remove iron or hardness minerals.*

Periodic replacement of filter cartridges and certain filter media (such as carbon, bim, calcite, Filter-Ag, UltraSorb™ or Sulfaban™) is part of the normal maintenance required by your system. These replacements and media loss due to natural attrition are not covered.

Additional operating parameters may apply and are listed in your system owner's manual and/or installation instructions. Your equipment must be installed and operated in accordance with Kineticco's recommendations and applicable state and local codes for warranty to apply.

### Registration and Service

To place your system under warranty, your authorized Kineticco dealer must register your equipment with Kineticco Incorporated within 30 days of the installation date. For service under this warranty, contact your authorized Kineticco dealer. Retain your receipt along with this warranty for reference if service is necessary.

### No Other Warranties

THERE IS NO OTHER EXPRESS WARRANTY, IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY AND ARE EXCLUDED TO THE EXTENT PERMITTED BY LAW. THERE ARE NO WARRANTIES OTHER THAN THOSE CONTAINED HEREIN. IN NO EVENT SHALL KINETICCO BE LIABLE FOR INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE USE OR THE LOSS OF USE OF THIS SYSTEM.

### How State Law Relates to the Warranty

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damage, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

### Modification of the Warranty

Kineticco does not authorize any other person to assume for Kineticco any other liability in connection with this product. The dealer has no authority to make any representations on behalf of Kineticco or to modify the terms of Kineticco's warranty in any way.